

# SAFETY COMMITTEE MEETING Agenda (Proposed)

Date: November 28, 2018 Meeting Place: UH-194 Time – 1:30 to 2:30 pm

**Type of Meeting**: Regular **Note Taker**: Susan Herman

Please Review/Bring: Copy of September 19, 2018 Minutes

**Committee Members:** 

Terry Cleveland Member - Director of Risk Management & Environmental Health Susan Herman Member & Note Taker – HR– Department of Risk Management

Kim Correa Alternate

Deputy Ray Murgatroyd Member – Campus Law Enforcement Representative

Steven Pulley Alternate

Pedro Rodriguez Member – ASO Representative

Alternate – None provided

Joseph Esdin Member - Academic Senate

TBD by Academic Senate Alternate

Jared Simmons Member – Confidential Management

Michael Maher Alternate

Yvonne Harvey Member - Classified Union

Alternate – None Provided

Dr. Louis Lucero Member – Educational Administrator

Alternate – None Provided

Michael Hutchison Member – Faculty Union

Bill Bailey Alternate

	Items	Person	Action
l.	Check In	Terry	
		Cleveland	
II.	Introduction	Terry	Welcome and Introductory Remarks by Director of Risk
		Cleveland	Management, Terry Cleveland.
III.	Approval of Previous	All	September 19, 2018
	Minutes		
IV.	Old Business		Item to Discuss:
		Terry	1. Status of Tourniquet/glove additions at First Aid boxes. Status
		Cleveland	Report by Terry Cleveland.
		Terry	2. Status of provision of 4-hour CPR/AED and First Aid classes on
		Cleveland	campus. Status report by Terry Cleveland.
V.	New Business		Item to Discuss:
'	rew Basiness	Terry	1. Reviews of the following by Terry Cleveland:
		Cleveland	a. Reported work-related accidents since the last Safety
		Cicveland	Committee Meeting.
			b. Current year-to-date work-related accident statistics
			b. Current year-to-date work-related accident statistics



		Terry Cleveland & R. Murgatroyd	<ul> <li>including identification of trends (if any).</li> <li>c. Review of results of scheduled periodic safety inspections.</li> <li>d. Current year-to-date Property &amp; Liability Accident Log used to assist in identification and mitigation of slip, trip and fall hazards regarding 2019 SCG#4.</li> <li>2. Emergency Drill Program for AVC – Status report by T. Cleveland and R. Murgatroyd.</li> </ul>
VI.	Open Discussion	All	
VII.	Next Meeting Date		February 20, 2019
VIII.	Check Out		



# SAFETY COMMITTEE MEETING **Minutes**

Date: November 28, 2018 Meeting Place: UH-194 Time - 1:30 to 2:30 pm

Type of Meeting: Regular Note Taker: Susan Herman

**Committee Members:** 

Terry Cleveland

Member - Director of Risk Management & Environmental Health

Susan Herman

Member & Note Taker – HR– Department of Risk Management

Kim Correa

Absent Alternate

Deputy Ray Murgatroyd Absent Member - Campus Law Enforcement Representative

Steven Pulley

Absent Alternate

Pedro Rodriguez

Member – ASO Representative

Alternate - No Alternate at this time

Joseph Esdin

Member - Academic Senate

TBD by Academic Senate

Alternate

Jared Simmons

Member - Confidential Management

Michael Maher

Absent Alternate

Yvonne Harvey

Member - Classified Union

Alternate – None Provided

Dr. Louis Lucero

Absent Member – Educational Administrator

Alternate – None Provided

Michael Hutchison

Member – Faculty Union

Bill Bailey Absent Alternate

	Items	Person	Action
I.	Check In	Terry	1
		Cleveland	
II.	Introduction	Terry	Welcome and introductory remarks by Director of Risk
		Cleveland	Management, Terry Cleveland.
111.	<b>Approval of Previous</b>	All	The minutes from September 19, 2018 were approved with a
	Minutes		motion by Joseph Esdin with a second from Michael Hutchinson.
IV.	Old Business	33	Issues Discussed:
		Terry	1. Status of touniquet/glove additions at the First Aid Boxes was
		Cleveland	discussed. We have ordered and received 7 additional First Aid
			Boxes which will be installed along with all the storage boxes that
			hold tourniquets and gloves, which will be mounted above the
			First Aid Boxes around the campuses.
			2. 4-hour CPR/AED and First Aid Classes will be offered to full
			time faculty and employees during January 2019. Notice of the
			classes offered will be given by the Office of Risk Management.
			The Office of Risk Management will also contact Kristine Oliverira
			to request that the course offerings be added to the faculty's



			Professional Development Calendar. Full time faculty will be offered 4 hours of Standard 3 credit for any course completed.
			one, ear thous of standard of care for any course completed.
V.	New Business		Issues Discussed:
		Terry	1. Review of the following by Terry Cleveland:
		Cleveland	a. Work related accidents reported since the last Safety
			Committee Meeting on September 19, 2018:
			3 first aid cases; 1 medical case; 1 lost time case; Total
			of 5 cases. Terry Cleveland reported on all new accidents
			in detail at the meeting.
			b. Year-to-date work related accident statistics (calendar year
			2018):
			11 first aid cases; 8 medical cases; 5 lost time cases;
			Total of 24 cases.
			c. Terry discussed the findings of the latest scheduled periodic
			safety inspection. Patricia Swint of Keenan & Associates
		25	submitted a report indicating that she did not observe any
			new safety concerns and commended the maintenance
			staff for addressing prior safety concerns with such
			efficiency.
			d. Terry discussed the current year-to-date Property and
			Liability Accident Log. A copy is attached.
		Terry	2. Terry gave a status report on the Emergency Drill Program for
		Cleveland	AVC. Report is attached hereto.
VI.	Open Discussion		Item Discussed:
		Terry	1. Terry presented the updated "What to do When" poster to the
		Cleveland	Safety Committee for comment. Michael Hutchinson questioned
			whether or not the poster should give direction to anyone that
			may be outside of a building during one of the stages on the
			poster. After discussion, it was determined that for now the
			"What to do When" poster will remain the same.
		Terry	2. Terry presented a door lock/unlock mechanism that had been
		Cleveland	presented to him by Instructor Tim Lynskey for consideration.
			After discussion by the Safety Committee it was determined that
			this lock/unlock mechanism for classroom doors would not be
			utilized. Jared indicated that flip locks have been ordered for
			many of the building on the main campus, but not for buildings
			that are going to be taken down soon.
		Pedro	3. Pedro Rodriguez spoke about some observations he had made
		Rodriguez	throughout the campus. He noticed that it is very dark and there
		1.52.18462	are no lights in the Library Plaza in the evenings. The building
			lights are on and working but do not illuminate the Library Plaza
			itself and this could cause a tripping hazard and may be unsafe.
		1	reserrance and and could cause a cripping nazaru and may be unsate.
			He has also observed sprinklers around the northeast side of the



			staircase, which may cause an unsafe condition. Jared Simmons indicated that he will check into both of these concerns.
VII.	Next Meeting Date		February 20, 2019
VIII.	Check Out	All	Motion to adjourn the meeting by Michael Hutchinson, with a 2 <sup>nd</sup>
			by Jared Simmons. Meeting was adjourned at 2:47 p.m.

# Emergency Drill Program for AVC – Status Report for November 28, 2018 Safety Committee Meeting (to include Drills conducted since September 19, 2018 Safety Committee Meeting)

#### Palmdale Center (entire Center) 15-minute Lock Down (aka Active Shooter) Drills.

Wednesday, October 24, 2018

Drill start times of 11:15 AM and 7:30 PM

#### **Daytime Drill:**

There were 19 anomalies observed by personnel from the Los Angeles County Sheriff's Department AVC Unit, AVC Maintenance & Operations, and Office of Risk Management.

#### Nighttime Drill:

There were 8 anomalies observed by personnel from the Los Angeles County Sheriff's Department AVC Unit, AVC Maintenance & Operations, and Office of Risk Management.

#### Main Campus Emergency Evacuation Drills for Drill Zones 1 & 3 (1 = A; SSV; SCT;

#### 3 = BE; L; LC; T100).

Sometime during the week of November 5, 2018 - This is the area selected for this semester to have the semi-surprise drills for which we announce only the week of the drills and not the specific date(s) and times.

#### DAYTIME DRILL RESULTS - Wednesday (11-07-2018)

It took 11 minutes 51 seconds from the time the alarms were sounded to the time the "All Clear" was given for the semi-announced drill yesterday for which the specific date and time were not pre-announced. For the daytime drill last year (11-14-2017) which was fully announced, it took only 10 minutes 45 seconds from the time the alarms were sounded to the time the "All Clear" was given. The time it took the year before that (11-02-2016) for the semi-announced drill was 13 minutes. The time it took the year before that (11-05-2015) for the fully announced drill was 15 minutes 31 seconds.

#### NIGHTTIME DRILL RESULTS - Wednesday (11-07-2018)

It took only 8 minutes from the time the alarms were sounded to the time the "All Clear" was given for the semi-announced drill last night for which the specific date and time were not pre-announced. This represents a new record for the Drill Zone 1 & 3 Nighttime Emergency Evacuation Drill! For the nighttime drill last year (11-14-2017) which was fully announced, it took 12 minutes from the time the alarms were sounded to the time the "All Clear" was given. The time it took the year before that (11-02-2016) for the semi-announced drill was 8 minutes 2 seconds. The time it took the year before that (11-05-2015) for the fully announced drill was 9 minutes 6 seconds.

Note: The following buildings were not occupied during last night's nighttime drills or during the previous years' nighttime drills: A, LC, and T100.



#### **Annual Table-Top Exercise for Incident Command Staff**

Friday, October 26, 2018 from 8:30 AM to 10:30 AM Primary Emergency Operations Center – SSV-151

The 2018 Disaster Response/Emergency Preparedness Annual Exercise for the Incident Command Staff was a Table-Top Exercise in which the emergency situation was a Complex Coordinated Terrorist Attack (CCTA) which is defined as follows:

Complex Coordinated Terrorist Attacks are acts of terrorism that involve synchronized and independent team(s) at multiple locations, sequentially or in close succession, initiated with little or no warning, and employing one or more weapon systems: Firearms, explosives, fire as a weapon, and other nontraditional attack methodologies that are intended to result in large numbers of casualties.

According to Homeland Security as announced by FEMA on July 25, 2018, the newest emerging trend used by terrorist groups are Complex Coordinated Terrorist Attacks (CCTAs).

This 2018 Table-Top Exercise was synthesized and conducted by AVCCD personnel rather than West Coast Consulting Group, Inc. personnel as was the case in previous years.

#### Previous years' Disaster Response/Emergency Preparedness Annual Exercises have been as follows:

2017 - Table-Top Exercise - Long-term power outage expected to last months

2016 – Table-Top Exercise – Large-magnitude earthquake affecting Southern California and included the added emergency of a natural gas fire in Uhazy Hall.

2015 - Combination Table-Top/Field Exercise of an aircraft crash on the Main Campus.

	A	В	C	D
2	X TABLE	FIRST	AID KIT LOCATIONS	MISSELL STREET, STREET
3	BUILDING	LOCATION	DEAN/DIRECTOR/ MANAGER	CONTACT TO ORDER REFILL
4	Column1	Column2	Column3	Column4
$\overline{}$	Administration	Staff Lounge - A-138	Terry Cleveland	Susan Herman
-	APL	Room 221 B	Duane Rumsey	Tangie Hunter
_	BE - 2nd Floor	Staff Lounge	Irit Gat	Casey Farris
_	CDC	Front Desk	«Katarina Orlic-Babic	Tina Pullum
_	FA3	Room 173	Duane Rumsey	Tangie Hunter
_	FA1	Art Gallery	Duane Rumsey	Tangie Hunter
	FA2 (pending)		Duane Rumsey	Tangie Hunter
_	Facilities Serivces	Near FS-121	Jared Simmons	Jared Simmons
_	Library	Circulation Desk	Meeta Goel	Dawn Vargas
4 1		Room 121	Riley Dwyer	Samantha Darby
(	Gym 140 (Cynthia		,	Samantha Darby
	ittlefield) - Pending			
6 F	PAT	Room 119	Michael White	Cliff Leighton - Techinical Director
_	SSV - 1st Floor	Room 160 - Staff Lounge	Jill Zimmerman	Kim Fite
	SV - 2nd Floor	Room 221 - Staff Lounge	Rashitta Brown-Elize	Linda Rose
	E1 - Electronics (pending)	_		Ellida Nose
0 1	E2 - Welding (pending)			
1 T	E6	Parts Room	Laureano Flores	Jana Crawford
2 T		Break Room	Laureano Flores	Jana Crawford
3 T	E8 - Auto Body (pending)			Jana Crawlord
4				
F	ox Field	Office - Large F/A Kit	Laureano Flores	Jana Crawford
F	ox Field (pending)	B-11 Hanger	Laureano Flores	Jana Crawford
Fo	ox Field (pending)	Main Hanger	Laureano Flores	Jana Crawford
Pa		Staff Lounge	Cathy Hart	
Pa	almdale Center - Library -	, J	-seriy mane	Keina Young
Pe	ending			
PF	RA	Instructor's office	Laureano Flores	Jana Crawford
			1010	Jana Clawioru
1				
1				
]				

œ	7		o o	v	4	ω	2	-
2010 t) tOTO	1 2010	April 19, 2018	March 7, 2018	March 6, 2018		DATE		
near the S/W door to	sidewalk which has separated enough to create two elevations.	Sidewalk near the corner of the Learning Center and the BE Building. Crack in the	Dirt area near Quad Stage between the SCT and BE buildings.	Walkway between APL and the LS2 Building		LOCATION	P	
near the S/W door to that was on the sidewalk due to nearby the cafeteria planter sprinklers.		Sidewalk near the Adjunct faculty member tripped and fell corner of the Learning presumably due to the crack in the sidewalk Center and the BE and the raised elevation.  Building. Crack in the	Student was walking and looking around at activities, not paying attention to where he was walking. He stepped down with his right foot landing between the pavement and dirt causing him to fall.	Student and her son were walking on the sidewalk toward H.S., when her son stepped on the north side of a metal drain cover that then lifted the south side of the cover causing her to trip and fall student denied any medical treatment	DESCRIPTION OF INCIDENT	DECORIOTION OF MOTORIA	PROPERTY AND LIABILITY ACCIDENT L	
Sprinklers were re-adjusted in the YES surrounding planters.		M&O re-poured the concrete in this area.		Steve Epps was called and the drain cover was repaired.	SOLUTION		LOG - 2018	
YES					CLAIM FILED?			Г

12	11	10	9	ω	2 -	7
9/19/2018	September 1, 2018	August 28, 2018	August 27, 2018	DATE		
Marked area outside the PAT	Main Campus - Football Stadium	Main Campus - Sidewalk outside of LH - walking toward Cafeteria.	Main Campus - eastside stairwell of BE building	LOCATION	70	
Student was talking with someone while she was walking in front of the PAT, when she stepped off a short curb and fell. She indicates she injured her ankle. As of 9/26/18 she has not sought medical treatment. A Student Insurance Claim was	A reporter who was at the stadium to cover a game left the Press Box and was in the stands for some time after the game. The stadium lights were turned out and he fell down the last 2 steps because he couldn't see and misstepped. Chipped his front tooth and had abrasion on his right hand and right knee. Reporter complained of pain in his right wrist and right side of his face.	Student fell after tripping on uneven sidewalk outside the LH Building hitting her knees, elbows and hit her head above her left eye.	Student lost her balance while walking down the stairs and fell forward. Student stopped her fall by placing both hands in front of her body. Student was in a lot of pain and thought she may have injured her leg. She was transported by ambulance to AVH.	DESCRIPTION OF INCIDENT	PROPERTY AND LIABILITY ACCIDENT	
No action taken. Curbs are clearly marked cautioning pedestrians in the area.	New signeage has been placed in the Press Box indicating that the light can be turned off at any time and that all people in the Press Box must exit through the back of the stadium on a lighted pathway.	Area will be inspected by M&O personnel	There was no debris on the stairs and the stairs have non slip strips on all steps. We believe this incident occurred because the student lost her balance. No repairs to be made.		LOG - 2018	
Filed Student Insurance Claim on 9/24/18	Lawsuit filed		Sent Student Insurance Claim for to be filled out and returned 9/13/18 - No forms returned as of 11/27/18.		r	п

<del>1</del>	13	ω	2	
11/26/2018	1024/18	DATE		
East Side Stairwell - BE Building	PRA Classroom	LOCATION		
Student was descending the stairs when she lost her footing and tried to correct herself by running down the stairs - she tripped at the bottom causing her to fall forward and hit her head on a glass door. Student indicated she did not trip on anything - she was wearing a new pair of boots for the first time.	Student leaned back in a chair. The chair broke and she fell hitting her head on the desk in back of her and hit her shin on her desk.	DESCRIPTION OF INCIDENT	PROPERTY AND LIABILITY ACCIDENT L	
No action to be taken.	This is the 6th chair that has broken at the PRA in the same place. We have asked that all 6 chairs be removed from PRA and the chair the student fell from to been marked as such. Student's chair to be stored in the warehouse. As of 11/27/18 - all chairs have been set aside and marked, but they have not been removed from the PRA./sh		LOG - 2018	D
	Student insurance paperwork was mailed to student on 11/6/18. As of 11/27/18 - no paperwork received.			m



#### **RE: Inspection Activity**

1 message

Patricia Swint <Pswint@keenan.com>
To: Terry Cleveland <tcleveland@avc.edu>

Tue, Nov 27, 2018 at 9:34 PM

Hi Terry,

I am pleased to say I did not observe any new safety concerns. It is nice to walk the sites and recognize corrections to items identified in previous reports. The maintenance staff should be commended for addressing safety concerns with such efficiency. I would also like to take this opportunity to show case two ergonomic successes.

Pam Ford's desk arrangement was subpar with several ergonomic concerns. The original desk was too small to accommodate her telephone, dual monitors and basic office supplies. She was using a file drawer to extend the length of her desk and her broken tray did not adjust or provide proper wrist support. The loose cords hanging in from her desk posed a trip hazard to anyone who approached her desk.

Ms. Ford's after pictures show her new desk and dual monitor stand. Her monitors are even and properly aligned with her keyboard and mouse. Her telephone is on the same surface and most important it is now within reach.


Ms. Thatch's after pictures show her new sit to stand desk top. The employee has back pain and finds relief when she alternates between sitting and standing. Prior to the new desk top the employee was using a media cart to elevate her keyboard as she turned her head to view the computer monitor which was still on the desk. Her original desk chair was not suitable for desk work, as it was not adjustable and did not provide proper back support. The oversized conference chair and media cart consumed a lot of space in the small office which also created a safety concern in regards to her safe egress in case of an emergency.

These are two examples of how ergonomic comfort effects the employee. When a department proactively addresses the ergonomic needs of an employee it reduces the potential for that employee to file an office related injury claim. Each department should encourage ergonomic best practices and consider providing appropriate office supplies as needed before the request is escalated into a costly workers compensation claim.


An item such as a footrest may cost the department less than \$50 and improve the posture of an employee with lower back pain thus avoiding a costly claim. The cost of replacing broken keyboard trays is cheaper than an employee who develops wrists pain.

Pam Ford <b>Before</b>	Pam Ford <b>After</b>











Shirlene Thatch Before


After


Media cart

Sit to stand desk









Best regards,

# Patricia Swint

Senior Loss Control Consultant

# EMERGENCY RESPONSE: What to do When

Knowing the appropriate response to an emergency situation could save your life!

# **Elevated Awareness**

#### Situations when there is NO IMMEDIATE threat to your location, such as:

- Dangerous incident in the surrounding neighborhood with high potential to become a danger on campus
- Downgrade from a Lock Down order or Evacuation order, but high potential for danger to affect campus still exists
- Any situation where remaining inside is the safest alternative

#### **Monitor notification systems:**

- Rave MOBILE SAFETY cell phone text alerts
- Alertus on campus computer monitors

Be prepared to Evacuate or Lock Down at a moment's notice.

# Evacuate ---- Lock Down

## Situations when there is threat to your building, such as:

- Fire or after an earthquake
- Any situation where moving outside is the safest alternative

#### **Evacuation considerations:**

- When the building alarm sounds, or you are asked to evacuate by emergency personnel, walk quickly and calmly to the nearest exit.
- When possible, evacuate via the shortest, safest route to your building's evacuation assembly area noted on the Area Evacuation Map. Emergency personnel may direct you to an alternate area.
- Use stairs, not elevators.
- Ask persons who may be disabled if they require assistance. Provide reasonable aid.
   Station disabled persons in the stairway landing, if unable to safely evacuate, and immediately notify emergency personnel of their location.

### Situations when there is **IMMEDIATE** threat to your location, such as:

- Dangerous incident on campus, such as an active shooter, or a situation projected to present an imminent threat on campus
- Any situation where lock, barricade, and hide is the safest alternative

#### Lock Down: Prepare to RUN, HIDE, FIGHT

- **RUN:** If outside a room or building and you hear gunfire, move away.
- **HIDE:** Lock the door from the inside (if possible), turn off all light sources and quickly cover the windows. If locking is not an option, create a stronghold. Conceal yourself behind large items. Silence your cell phone and remain quiet.
- Move away from doors and windows.
- FIGHT: Arm yourself with available items and mentally prepare yourself, as a last alternative if confronted.

Register for approved Antelope Valley College emergency communications and other important information via text message (Rave MOBILE SAFETY) with **Campus Alerts** in **myAVC**.